




◦ ◡ ◢ LAMINATING MACHINES / SUPPLIES ◢ ◡ ◦





GBC has everything you need to protect, preserve and enhance your frequently used and precious documents.

With our easy to use laminating machines and supplies you can laminate in your office, at your desk, in the classroom or at home. For just a few items or high volume jobs, GBC has a range of pouch and roll laminating machines to suit your individual requirements.

Laminate valuable documents, photos, recipes, certificates, signs, menus, kids artwork, teaching aids and more.

// ○
CONTENTS

• 04 - 05	• Usage Guide	• 14 - 15	• Fusion 5100L
• 06 - 07	• Fusion 1100L	• 16 - 21	• Speciality Laminators
• 08 - 09	• Fusion 3000L	• 24 - 32	• Laminating Pouches
• 10 - 11	• Fusion 3100L	• 33	• Laminating Rolls
• 12 - 13	• Fusion 5000L	• 34 - 35	• Comparison Chart



INTRODUCING A NEW LINE OF LAMINATORS

With up to 4 times faster warm up time and 33% faster laminating speed






FUSION FASTER TO THE FINISH



LAMINATING GUIDE

STEP 1

USAGE:
HOW OFTEN DO YOU
LAMINATE?

Occasional	Moderate	High
		
Single User with Low Volumes	Single/Multiple Users with Moderate Volumes	Multiple Users with High Volumes








STEP 2

MACHINE SIZE

A4 A3	A4 A3	A3
-------	-------	----

STEP 3

CHOOSE YOUR
LAMINATING MACHINE

						
A4	A3	A4	A3	A3	A3	A3
1100L	1100L	3000L	3000L	3100L	5000L	5100L
4 minutes	4 minutes	1.5 minutes	1.5 minutes	1 minute	1 minute	1 minute
55 seconds	55 seconds	36 seconds	36 seconds	23 seconds	18 seconds	15 seconds
75-125 micron	75-125 micron	75-125 micron	75-125 micron	75-175 micron	75-250 micron	75-250 micron
6 - 7	6 - 7	8 - 9	8 - 9	10 - 11	12 - 13	14 - 15

STEP 4

CHOOSE YOUR LAMINATING POUCH


Signature Pouch	High Speed Pouch	Classic Pouch	Card Pouch	Matt & Colour Pouch	UV Safe Pouch	Peel n Stick Pouch	Filex Pouch

What documents do you want to laminate?

Signage					✓	✓	✓	
Filing								✓
Labelling & Identity	✓	✓	✓					
General everyday items	✓	✓	✓	✓	✓			
Photos	✓	✓	✓	✓	✓	✓		
Sizes	A3 & A4	A4	A2, A5, A6	ID sizes	A4	A4	A4	A4
See page	26 - 27	28 - 29	30 - 31	30 - 31	32	32	32	32

GBC also offer a range of speciality and roll laminators!
Please see page 16 - 21 for more information.





1100L A4 & A3 LAMINATORS

GBC proudly introduce the new 'Fusion' laminating range - making laminating easy and super fast!

The GBC Fusion 1100L models offer great value and professional document finishing for the small office user. Easy to use and featuring ultra quiet operation the 1100L is perfect for the low volume user.

Key Features:

- Simple to use dual position slider switch
- One switch does it all
- **Stylish black finish**
- Manual release for misfed documents
- Green light and audible beep indicates when ready
- Auto shut off after 30 minutes



MACHINE SPECIFICATIONS



Warm up time
4
MIN



Lamination Speed
55 SEC
PER A4




Pouch Thickness
75 - 125
MIC MIC

CODE	BLF1100LA4
USAGE	OCCASIONAL



CODE	BLF1100LA3
USAGE	OCCASIONAL





3000L A4 & A3 LAMINATORS

The 3000L models feature a black and silver contemporary design perfect for the modern home and office. Built for multiple users with moderate lamination requirements.

The GBC 3000L offers professional document finishing with class leading performance.

Key Features:

- Tap touch button user controls
- **Adjustable pouch guides keep documents perfectly aligned**
- Sureflow™ anti-jam technology
- Auto alert beeps to warn if a pouch is being misfed
- Press release button to quickly remove any misfed pouches
- Green light and audible beep indicates when ready
- Auto shut off after 30 minutes



MACHINE SPECIFICATIONS



Warm up time
1.5
MIN



Lamination Speed
36 SEC
PER A4




Pouch Thickness
75 - 125
MIC MIC

CODE	BLF3000LA4
USAGE	MODERATE



CODE	BLF3000LA3
USAGE	MODERATE





3100L A3 LAMINATOR

Designed for multiple users who laminate on a regular basis, the 3100L provides the fastest warm up time and laminating speed in its class.

Full of features including auto misfed pouch detect and the ability to switch instantly between heat settings!

Key Features:

- Tap touch button user controls
- **Switch instantly between pouch thickness with the touch of a button**
- Adjustable pouch guides keep documents perfectly aligned
- Sureflow™ anti-jam technology
- Auto alert beeps to warn if a pouch is being misfed
- Press release button to quickly remove any misfed pouches
- Green light and audible beep indicates when ready
- Auto shut off after 30 minutes



MACHINE SPECIFICATIONS



Warm up time
1
MIN




Lamination Speed
23 SEC
PER A4



Pouch Thickness
75 - 175
MIC MIC

CODE	BLF3100L
USAGE	MODERATE





5000L A3 LAMINATOR

Designed for the large office or school where there are multiple users and high volume requirements. The 5000L is super fast with a warm up time of 1 minute and simple to use with various automated settings.

Laminating has never been so easy and fast - so no more standing around!

Key Features:

- Laminator detects pouch thickness and determines optimal settings
- Easy to use digital LED control screen – for selecting manual settings
- In manual mode switch instantly between pouch thickness
- Adjustable pouch guides keep documents perfectly aligned
- Sureflow™ anti-jam technology
- Auto alert beeps and auto reverses if a pouch is being misfed
- Features a countdown timer and audible beep indicating when laminator is ready
- Auto shut off after 30 minutes



MACHINE SPECIFICATIONS



Warm up time
1
MIN



Lamination Speed
18 SEC
PER A4



Pouch Thickness
75 - 250
MIC MIC



Auto
detect pouch
thickness




Auto
detect & release
misfed documents



LED
interface

CODE	BLF5000L
USAGE	HIGH





5100L A3 LAMINATOR

GBC proudly introduce the new 5100L A3 top of the class laminator, designed for multiple users with high volume requirements. The 5100L features an LCD menu, has a super fast warm up time and is so easy to use with automated settings.

Also included are manual settings providing all the control you will ever need. Built for the large office environment and for heavy use!

Laminates 4 x A4 pouches in 2 minutes including warm up time!

Key Features:

- Laminator detects pouch thickness and determines optimal settings
- Premium LCD screen displays Manual Settings, Help Menu, Job Counter, and a “Countdown to Ready” timer
- Fine tune temperature control settings In manual mode for total control
- Adjustable pouch guides keep documents perfectly aligned
- Sureflow™ anti-jam technology
- Auto alert beeps and auto reverses if a pouch is being misfed
- Auto shut off after 30 minutes



MACHINE SPECIFICATIONS



Warm up time
1
MIN



Lamination Speed
15 SEC
PER A4



Pouch Thickness
75 - 250
MIC MIC



Auto
detect pouch
thickness




Auto
detect & release
misfed documents



LCD
menu control

CODE	BLF5100L
USAGE	HIGH





ULTIMA 35 EZLOAD® LAMINATOR

A simple-to-use, fast and flexible A3 Roll Laminator. Ideal for broad-based applications in Offices & Education. Offering continuous laminating up to 150m in length, the Ultima 35 EzLoad® is perfect for odd size documents.

The patented EzLoad® Film with colour coded matching male/female plugs makes it impossible to load replacement rolls incorrectly.

Key Features:

- Lamination width up to A3
- No limit on length of documents – perfect for banners!
- Ten heat settings
- Ceramic heating technology + 4 motor driven rollers
- Cooling fans allow for improved quality over continuous lamination
- Inbuilt manual film cutter
- Works with EZload® Roll Film



MACHINE SPECIFICATIONS



Warm up time
1
MIN



Lamination Speed
18 SEC
PER A4



Pouch Thickness
42.5 - 250
MIC MIC

CODE	BLEZLOAD35
USAGE	HIGH





AUTOULTIMA™ H925 LAMINATOR

The AutoUltima™ H925 completely removes the frustration of the timely task of loading documents into pouches and feeding them through the laminator one at a time. The H925 feeds, laminates and trims all at the touch of a button.

Designed to support multiple users throughout the day, anyone in your company can laminate single or multiple documents at the press of a button. Simply load your sheets into the feeder, press start and walk away – no need to load pouches or trim.

Key Features:

- Automatic in-built cutter – no need for trimming
- Reverse switch to clear any mis-feeds
- SureFlow™ anti-jam technology
- Ready beep when the machine reaches operating temp
- Automatic cut-off when the machine is idle for 30 mins
- Works with EZload® Roll Film for any application - A4, A3 and banners



MACHINE SPECIFICATIONS



Warm up time
2
MIN



Lamination Speed
23 SEC
PER A4



Pouch Thickness
42.5 - 250
MIC MIC

CODE	BLH925
USAGE	HIGH





HEATSEAL PRO SERIES 4000LM

The GBC HeatSeal ProSeries 4000LM Laminator offers the potential to laminate items up to full A2 size. Perfect for extra large signs, plans and assignments. The GBC 4000LM is perfect for laminating the largest poster to the smallest card pouch.

A variable temperature feature allows the processing of different materials for perfect laminating results and permanent protection for your documents.

Key Features:

- Professional A2 laminator
- Laminate signs, display materials and posters up to 494mm (A2) wide
- Variable temperature to ensure quality lamination
- Robust and heavy duty metal construction



MACHINE SPECIFICATIONS



Warm up time
2
MIN




Lamination Speed
39 SEC
PER A4




Pouch Thickness
75 - 250
MIC MIC

CODE	BLH4000LM
USAGE	HIGH









LAMINATING POUCHES

GBC laminating pouches provide superior document protection. Featuring the highest quality materials GBC pouches are crystal clear with a high gloss finish.

Our pouches are low static and feature excellent rigidity - Perfect for enhancing and protecting your important documents and photos!


GBC pouches come standard with rounded corners and are available in a variety of thicknesses and sizes. From business cards to large posters - we have you covered.



Ranges:

- GBC Signature High Speed – Laminating Pouches
- GBC Signature – Laminating Pouches
- GBC Classic – Laminating Pouches
- GBC Speciality – Laminating Pouches
- GBC EZLoad® – Laminating Film







SIGNATURE LAMINATING POUCH

Introducing the latest innovation in laminating pouches!

- The GBC Signature Pouch adds premium features to our standard GBC laminating pouches. The GBC Signature Pouch contains embedded instructions that simply vanish on use
- The 3 embedded instructions and guides make laminating easy and risk free
- Only available in A4 & A3 sizes



POUCH SPECIFICATIONS



DIRECTIONAL ARROWS

Never misfeed a pouch again with embedded directional arrows for pouch insertion.



POUCH THICKNESS

Quickly identify pouch microns, so you can always select the correct heat setting on your GBC laminator.



ALIGNMENT INDICATORS

Centre your documents the easy way. Simply follow the embedded alignment guides.



INDICATORS VANISH

All embedded instructions and guides will simply disappear on use!





CODE	MODEL	POUCH TYPE
BL80M25A4	GBC IBICO A4 80 MICRON POUCHES 25PK	SIGNATURE POUCH
BL80MA4	GBC IBICO A4 80 MICRON POUCHES 100PK	SIGNATURE POUCH
BL125M25A4	GBC IBICO A4 125 MICRON POUCHES 25PK	SIGNATURE POUCH
BL125MA4	GBC IBICO A4 125 MICRON POUCHES 100PK	SIGNATURE POUCH
BL80M25A3	GBC IBICO A3 80 MICRON POUCHES 25PK	SIGNATURE POUCH
BL80MA3	GBC IBICO A3 80 MICRON POUCHES 100PK	SIGNATURE POUCH
BL125M25A3	GBC IBICO A3 125 MICRON POUCHES 25PK	SIGNATURE POUCH
BL125MA3	GBC IBICO A3 125 MICRON POUCHES 100PK	SIGNATURE POUCH

SIGNATURE



HIGH SPEED SIGNATURE LAMINATING POUCH

The GBC High Speed Pouch is the fastest pouch in the market!

- 30% faster than all other A4 laminating pouches!
- High Speed Pouches are sealed on the long side, where standard pouches are sealed on the short side
- Only for use with A3 and A2 laminators

HIGH SPEED »»



- GBC High Speed pouches also feature the innovative Signature Pouch technology, making it the most innovative pouch in the market!
- The GBC Signature Pouch contains embedded instructions that simply vanish on use
- The 3 embedded instructions and guides make laminating easy, fast and risk free!



POUCH SPECIFICATIONS



DIRECTIONAL ARROWS

Never misfeed a pouch again with embedded directional arrows for pouch insertion.



POUCH THICKNESS

Quickly identify pouch microns, so you can always select the correct heat setting on your GBC laminator.



ALIGNMENT INDICATORS

Centre your documents the easy way. Simply follow the embedded alignment guides.



INDICATORS VANISH

All embedded instructions and guides will simply disappear on use!





CODE	MODEL	POUCH TYPE
BL80MHS4	GBC IBICO A4 80 MICRON HIGHSPEED POUCH 100PK	SIGNATURE POUCH + HIGH SPEED
BL125MHS4	GBC IBICO A4 125 MICRON HIGHSPEED POUCH 100PK	SIGNATURE POUCH + HIGH SPEED

SIGNATURE HIGH SPEED »»



CLASSIC LAMINATING POUCH

The Classic Series laminating pouches come standard with rounded corners and are available in a variety of thicknesses and sizes.

- Perfect for everyday use
- Available in a variety of thicknesses and sizes
- Standard sizes include:
 - A2, A5 & A6
- Card include:
 - Credit Card, Key Card, IBM/Data Card, Badge & Luggage Pouches



POUCH SPECIFICATIONS



STANDARD POUCH
For everyday use



CLASSIC SERIES
Corners rounded



CODE	MODEL	POUCH TYPE
BL125M54X86	GBC IBICO 54X86 125 MICRON CREDIT POUCH 100PK	CLASSIC POUCH - CARD
BL175M54X86	GBC IBICO 54X86 175 MICRON CREDIT POUCH 100PK	CLASSIC POUCH - CARD
BL125M59X83	GBC IBICO 59X83 125 MICRON IBM POUCH 100PK	CLASSIC POUCH - CARD
BL175M59X83	GBC IBICO 59X83 175 MICRON IBM POUCH 100PK	CLASSIC POUCH - CARD
BL125M64X99	GBC IBICO 64X99 125 MICRON KEY POUCH 100PK	CLASSIC POUCH - CARD
BL175M64X99	GBC IBICO 64X99 175 MICRON KEY POUCH 100PK	CLASSIC POUCH - CARD
BL175M67X99	GBC IBICO 67X99 175 MICRON BADGE POUCH 100PK	CLASSIC POUCH - CARD
BL175M65X108	GBC IBICO 65X108 175 MICRON LUGG POUCH 100PK	CLASSIC POUCH - CARD
BLBADGE25	GBC IBICO BADGE & CLIP 125 MIC POUCH 25PK	CLASSIC POUCH - CARD
BLLUGGAGE25	GBC IBICO LUGGAGE TAG/LOOP 125 MIC POUCH 25PK	CLASSIC POUCH - CARD
BL125M25A6	GBC IBICO A6 125 MICRON POUCHES 25PK	CLASSIC POUCH - A6
BL125MA5	GBC IBICO A5 125 MICRON POUCHES 100PK	CLASSIC POUCH - A5
BL80MA5	GBC IBICO A5 80 MICRON POUCHES 100PK	CLASSIC POUCH - A5
BL125MA2	GBC IBICO A2 125 MICRON POUCHES 100PK	CLASSIC POUCH - A2
BL80MA2	GBC IBICO A2 80 MICRON POUCHES 100PK	CLASSIC POUCH - A2



SPECIALITY LAMINATING POUCHES

GBC offers specialty pouches for a variety of laminating applications.

- Colour pouches – featuring assorted coloured backs (Green, Yellow, Red & Blue)
- Matt pouches – non reflective matt finish for bright conditions
- Peel n Stick pouches – perfect for semi permanent signage
- UV Safe pouches – provide extra protection against fading
- Filex Organiser pouches – pre punched & perfect for filing

CODE	MODEL	POUCH TYPE
BL100MCASA4	GBC A4 100 MIC ASSRT COLOUR POUCH 25PK	SPECIALITY COLOUR POUCH
BL125MA4FILEX	GBC IBICO A4 125 MICRON FILEX POUCHES 100PK	SPECIALITY FILEX POUCH
BL80MA4MATT	GBC IBICO A4 80 MICRON MATT POUCHES 100PK	SPECIALITY MATT POUCH
BL75MP25A4	GBC A4 75 MIC PEEL N STICK POUCH 25PK	SPECIALITY PEEL N STICK POUCH
BL125MUV25A4	GBC A4 125 MIC UV SAFE POUCH 25PK	SPECIALITY UV POUCH



POUCH SPECIFICATIONS



SPECIALITY POUCH
For everyday use




SPECIALITY SERIES
Corners rounded





EZLOAD® LAMINATING FILM

- EZload® Film for specific use with the GBC AutoUltima H925 and GBC Ultima EZload® 35 Roll Laminator
- Plug and play concept: Colour coded matching male/female plugs ensure that replacement rolls are loaded correctly and quickly
- Available in three sizes



CODE	MODEL	POUCH TYPE
BL43MR35	GBC 35 EZLOAD 42.5 MIC 150M LAMINATING FILM	EZLOAD FILM
BL75MR35	GBC 35 EZLOAD 75 MIC 75M LAMINATING FILM	EZLOAD FILM
BL125MR35	GBC 35 EZLOAD 125 MIC 60M LAMINATING FILM	EZLOAD FILM

MACHINES COMPARISON CHART

USAGE	LOW VOLUME LAMINATION		MEDIUM VOLUME LAMINATION		
PRODUCT CODE	BLF1100LA4	BLF1100LA3	BLF3000LA4	BLF3000LA3	BLF3100L
Warm up time	4 minutes	4 minutes	1.5 minute	1.5 minute	1.5 minute
Laminating Speed (Per A4)	55 seconds	55 seconds	36 seconds	36 seconds	23 seconds
Laminating Speed (mm/m)	330	330	500	500	800
Maximum pouch thickness	75 - 125 microns	75 - 125 microns	75 - 125 microns	75 - 125 microns	75 - 175 microns
Visual Ready alert	✓	✓	✓	✓	✓
Audible ready alert	✓	✓	✓	✓	✓
Manual Release/Reverse	✓	✓	✓	✓	✓
Intelligent™ Power Off	✓	✓	✓	✓	✓
Touch Control			✓	✓	✓
Accurate Feed Guide			✓	✓	✓
Intelligent™ Status Alert			✓	✓	✓
Intelligent™ Pouch Reverse					
Interactive User Display					
Intelligent™ Pouch Select					
Intuitive Menu Selection					
Professional Controls					
Warranty	2	2	2	2	2



USAGE

HIGH VOLUME LAMINATION

SPECIALITY LAMINATION

PRODUCT CODE	BLF5000L	BLF5100L	BLEZOAD35	BLH4000LM	BLH925
Warm up time	1 minute	1 minute	1 minute	2 minutes	2 minutes
Laminating Speed (Per A4)	18 seconds	13 seconds	18 seconds	39 seconds	23 seconds
Laminating Speed (mm/m)	1000	1200	1000	470	800
Maximum pouch thickness	75 - 250 microns	75 - 250 microns	42.5 - 250 microns	75 - 125 microns	75 - 125 microns
Visual Ready alert	✓	✓	✓	✓	✓
Audible ready alert	✓	✓			
Manual Release/Reverse	✓	✓	✓		✓
Intelligent™ Power Off	✓	✓	✓		✓
Touch Control	✓	✓			✓
Accurate Feed Guide	✓	✓			
Intelligent™ Status Alert	✓	✓			
Intelligent™ Pouch Reverse	✓	✓			
Interactive User Display	✓	✓			✓
Intelligent™ Pouch Select	✓	✓			
Intuitive Menu Selection		✓			✓
Professional Controls		✓	✓		
Warranty	2	2	2	2	2



LAMINATING MACHINES / SUPPLIES

Distributed by:

Pelikan **Artline®**

pelikanartline.com.au

pelikanartline.co.nz

