Northfork Oven and Grill Cleaner ACCO Brands Australia Pty Ltd Version No: 2.1

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

Issue Date: 06/05/2021

S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier		
Product name	Northfork Oven and Grill Cleaner	
Chemical Name	Not Applicable	
Synonyms	Not Available	
Proper shipping name	CAUSTIC ALKALI LIQUID, N.O.S.	
Other means of identification	5L - 631080700 15L - 631080800	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Clean ovens and hot plates

Details of the supplier of the safety data sheet

Registered company name	ACCO Brands Australia Pty Ltd	
Address	17-19 Waterloo Street, Queanbeyan NSW 2620 Australia	
Telephone	+61-2-96740900	
Fax	+61-2-96740910	
Website	www.accobrands.com.au	
Email	sds.anz@acco.com	

Emergency telephone number

Association / Organisation	Poisons Information Line
Emergency telephone numbers	13 11 26
Other emergency telephone numbers	Not Available

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	6
Classification ^[1]	Serious Eye Damage/Eye Irritation Category 1, Skin Corrosion/Irritation Category 1A, Chronic Aquatic Hazard Category 3
Legend:	1. Classified by Chernwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

Label elements

Hazard pictogram(s)		
Signal word	Danger	
Hazard statement(s)		
H314	Causes severe skin burns and eye damage.	
H412	Harmful to aquatic life with long lasting effects.	

Precautionary statement(s) General

P101	medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
P103	Read carefully and follow all instructions.	

P260	Do not breathe mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P273	Avoid release to the environment.	

Precautionary statement(s) Response

P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P303+P361+P353	N SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor/physician/first aider.	
P363	Wash contaminated clothing before reuse.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	

Precautionary statement(s) Storage

P405 Store locked up.

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
1310-73-2	10-30	sodium hydroxide
1310-58-3	<10	potassium hydroxide
92879-30-6	<10	(C8-10)alkyl D-glycopyranoside
51981-21-6	<10	tetrasodium N.N-bis(carboxymethyl)-L-glutamate
141-43-5	<10	monoethanolamine
Legend:	1. Classified by Chemwatch; 2. Classification drawn from C&L	Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. * EU IOELVs available

SECTION 4 First aid measures

Description of first aid measur	es
Eye Contact	 If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay. Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema. Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs). As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested. Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered. This must definitely be left to a doctor or person authorised by him/her. (ICSC13719)
Ingestion	 For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If romiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.

Transport to hospital or doctor without delay.

Indication of any immediate medical attention and special treatment needed

For acute or short-term repeated exposures to highly alkaline materials

- Respiratory stress is uncommon but present occasionally because of soft tissue edema.
- Unless endotracheal intubation can be accomplished under direct vision, cricothyroidotomy or tracheotomy may be necessary.
- Oxygen is given as indicated.
- The presence of shock suggests perforation and mandates an intravenous line and fluid administration.

Damage due to alkaline corrosives occurs by liquefaction necrosis whereby the saponification of fats and solubilisation of proteins allow deep penetration into the tissue. Alkalis continue to cause damage after exposure.

INGESTION:

- Milk and water are the preferred diluents
- No more than 2 glasses of water should be given to an adult.
- Neutralising agents should never be given since exothermic heat reaction may compound injury.
- * Catharsis and emesis are absolutely contra-indicated.
- * Activated charcoal does not absorb alkali.
- * Gastric lavage should not be used.

Supportive care involves the following: Withhold oral feedings initially.

- If endoscopy confirms transmucosal injury start steroids only within the first 48 hours. Carefully evaluate the amount of tissue necrosis before assessing the need for surgical intervention.
- Patients should be instructed to seek medical attention whenever they develop difficulty in swallowing (dysphagia).

SKIN AND EYE:

Injury should be irrigated for 20-30 minutes.

Eye injuries require saline. [Ellenhorn & Barceloux: Medical Toxicology]

SECTION 5 Firefighting measures

Extinguishing media

- Water spray or fog.
- Foam
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

Advice for firefighters

Fire Fighting	 Prevent, by any means available, spillage from entering drains or water course. Use fire fighting procedures suitable for surrounding area. Do not approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Non combustible. Not considered a significant fire risk, however containers may burn. 	
	May emit corrosive fumes.	
HAZCHEM	2R	

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material. Check regularly for spills and leaks. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	 Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear full body protective clothing with breathing apparatus. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Contain spill with sand, earth or vermiculite.
	Continued

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling	
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. WARNING: To avoid violent reaction, ALWAYS add material to water and NEVER water to material. Avoid smoking, naked lights or ignition sources. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS. DO NOT store near acids, or oxidising agents No smoking, naked lights, heat or ignition sources.

Conditions for safe storage, including any incompatibilities

Suitable container	 Lined metal can, lined metal pail/ can. Plastic pail. Polyliner drum. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. For low viscosity materials Drums and jerricans must be of the non-removable head type. Where a can is to be used as an inner package, the can must have a screwed enclosure. For materials with a viscosity of at least 2680 cSt. (23 deg. C) and solids (between 15 C deg. and 40 deg C.): Removable head packaging; Cans with friction closures and Iow pressure tubes and cartridges may be used. Where combination packages are used, and the inner packages are of glass, porcelain or stoneware, there must be sufficient inert cushioning material in contact with inner and outer packages unless the outer packaging is a close fitting moulded plastic box and the substances are not incompatible with the plastic.
Storage incompatibility	 Sodium hydroxide/ potassium hydroxide: reacts with water evolving heat and corrosive fumes reacts violently with acids, trans-acetylene dichloride, aminotetrazole, p-bis(1,3-dibromoethyl), benzene, bromoform, halogenated compounds, nitrogen-containing compounds, organic halogens, chlorine dioxide ((explodes), chloroform, cresols, cyclopentadiene, 4-chloro-2-methylphenol, cis-dichloroethylene, 2,2-dichloro-3,3-dimethylbutane, ethylene chlorohydrin, germanium, iodine pentalluoride, maleic anhydride, p-nitrobluene, nitrogen trichloride, o-nitrophenol, phosphonium iodide, potassium peroxodisulfate, propylene oxide, 1,2,4,5-tetrachlorobenzene (highly toxic substance is forme), 2,2,3,3-tetrafluoro-1-propanol, tetrahydrofuran, thorium dicarbide, trichloroethanol, 2,4,6-trinitrotoluene, vinyl acetate reacts with fluorine, nitroalkanes, (forming explosive compounds) incompatible with acetic acid, acetaldehyde, acetic anhydride, acrolein, acrylonitrile, allyl chloride, organic anhydride, acrylates, alcohols, aldehydes, alkylene oxides, substituted allyls, ammonium chloroplatinate, benzanthrone, bromine, benzene-1,4-diol, carbon dioxide, cellulose nitrate, chlorine trifluoride, 4-chlorobutyronitrile, chlorohydrin, chloronitrobulenes, ichlorosulfonic acid, cinnamaldehyde, caprolactam solution, chlorocresols, 1,2-dichloroethylene, epichlorohydrin, chloronitrobulenes, inorus jouces, substituted allyls, attropatinate, hydrogen sulfide, hydroquinone, iron-silicon, isocyanates, ketones, methyl azide, 4-methyl-2-nitrophenol, mineral acids (forming corresponding salt),nitrobenzene, N-nitrosohydroxylamine, nitrates pentol, phenols, phosphorus pentaoxide, beta-propiolactone, sodium, sulfur dioxide, tetrahydroborate, 1,1,1,2-tetrachloroethane, 2,2,2-trichloroethanol, trichloronitomethane, ziconium ignites on contact with cinnamaldehyde or zinc and reacts explosively with a mixture of chloroform and methane forms heat, friction-, and/ or shock-sensitive explosive salts wi

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	sodium hydroxide	Sodium hydroxide	Not Available	Not Available	2 mg/m3	Not Available

Source	Ingredient	Material name	TWA		STEL		Peak	Notes
Australia Exposure Standards	potassium hydroxide	Potassium hydroxic	de Not	vailable	Not Available		2 mg/m3	Not Available
Australia Exposure Standards	monoethanolamine	Ethanolamine	3 рр	n / 7.5 mg/m3	15 mg/m3 / 6	ppm	Not Available	Not Available
Emergency Limits								
Ingredient	TEEL-1		TEEL-2			TEEL	-3	
sodium hydroxide	Not Available		Not Availabl	9		Not Av	vailable	
potassium hydroxide	0.18 mg/m3		2 mg/m3			54 mg	/m3	
monoethanolamine	6 ppm		170 ppm	170 ppm		1,000	1,000 ppm	
Ingredient	Original IDLH			Rev	ised IDLH			
sodium hydroxide	10 mg/m3			Not	Not Available			
potassium hydroxide	Not Available		Not	Not Available				
(C8-10)alkyl D-glycopyranoside	Not Available		Not	Not Available				
tetrasodium N,N-bis(carboxymethyl)- L-glutamate	Not Available			Not	Not Available			
monoethanolamine	30 ppm			Not	Available			
monoethanolamine	30 ppm Engineering controls are be highly effective in pro The basic types of engin	tecting workers and will		arrier between t	ne worker and the t		0 0	0

Appropriate engineering controls Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure.

Local exhaust ventilation usually required.



Þ	Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are
	not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the
	material may be under pressure.

- Chemical goggles.whenever there is a danger of the material coming in contact with the eyes; goggles must be properly fitted.
- Full face shield (20 cm, 8 in minimum) may be required for supplementary but never for primary protection of eyes; these afford face protection.
- Alternatively a gas mask may replace splash goggles and face shields.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available.

Skin protection	See Hand protection below	
Hands/feet protection	 Elbow length PVC gloves When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots. 	
Body protection	See Other protection below	
Other protection	 Overalls. PVC Apron. PVC protective suit may be required if exposure severe. Eyewash unit. Ensure there is ready access to a safety shower. 	

Recommended material(s)

Personal protection

Eye and face protection

GLOVE SELECTION INDEX

Glove selection is based on a modified presentation of the: "Forsberg Clothing Performance Index".

The effect(s) of the following substance(s) are taken into account in the *computer-generated* selection: Oven and Grill Cleaner

Material	CPI
BUTYL	A
NEOPRENE	A
BUTYL/NEOPRENE	С
HYPALON	С
NAT+NEOPR+NITRILE	С
NATURAL RUBBER	С

NATURAL+NEOPRENE	C
NEOPRENE/NATURAL	С
NITRILE	С
NITRILE+PVC	С
PE	С
PE/EVAL/PE	С
PVA	С
PVC	С
SARANEX-23	С
SARANEX-23 2-PLY	С
TEFLON	C
VITON	С
VITON/CHLOROBUTYL	С

* CPI - Chemwatch Performance Index

A: Best Selection

B: Satisfactory; may degrade after 4 hours continuous immersion

C: Poor to Dangerous Choice for other than short term immersion

NOTE: As a series of factors will influence the actual performance of the glove, a final selection must be based on detailed observation. -

* Where the glove is to be used on a short term, casual or infrequent basis, factors such as "feel" or convenience (e.g. disposability), may dictate a choice of gloves which might otherwise be unsuitable following long-term or frequent use. A qualified practitioner should be consulted.

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	A brown liquid		
Dissistant			4 40 4 47
Physical state	Liquid	Relative density (Water= 1)	1.13-1.17
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	12-14	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available BuAC = 1	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	11-13
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	The mate
innaicu	Inhaling c

erial can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Inhaling corrosive bases may irritate the respiratory tract. Symptoms include cough, choking, pain and damage to the mucous membrane.

	Sudden inhalation of sodium hydroxide dust may produce fatal outcome such as spasm, inflammation of the throat and airway, burns, severe lung inflammation and fluid accumulated in the lungs These manifest as coughing, wheezing, shortness of breath, headache, nausea and vomiting.
Ingestion	Ingestion of alkaline corrosives may produce burns around the mouth, ulcerations and swellings of the mucous membranes, profuse saliva production, with an inability to speak or swallow. Both the oesophagus and stomach may experience burning pain; vomiting and diarrhoea may follow. Accidental ingestion of the material may be damaging to the health of the individual. Ingestion of sodium hydroxide may result in severe pain, burns to the mouth, throat, stomach, nausea and vomiting, swelling of the throat and subsequent perforation of the gastro-intestinal tract and suffocation but a 1% solution (pH 13.4) of sodium hydroxide in water failed to cause any damage of the stomach or gullet in rabbits.
Skin Contact	The material can produce severe chemical burns following direct contact with the skin. Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Sodium hydroxide causes burns which may take time to manifest and cause pain, thus care should be taken to avoid contamination of gloves and boots. A 5% aqueous solution of it produces tissue death on rabbit skin while 1% solution caused no effect on irrigated rabbit eye. Skin contact with alkaline corrosives may produce severe pain and burns; brownish stains may develop. The corroded area may be soft, gelatinous and necrotic; tissue destruction may be deep. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	If applied to the eyes, this material causes severe eye damage. Direct eye contact with corrosive bases can cause pain and burns. There may be swelling, epithelium destruction, clouding of the cornea and inflammation of the iris. Mild cases often resolve; severe cases can be prolonged with complications such as persistent swelling, scarring, permanent cloudiness, bulging of the eye, cataracts, eyelids glued to the eyeball and blindness.
Chronic	Repeated or prolonged exposure to corrosives may result in the erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchial pneumonia may ensue. Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

Oven and Grill Cleaner	TOXICITY	IRRITATION
Oven and Grill Cleaner	Not Available	Not Available
	ΤΟΧΙΟΙΤΥ	IRRITATION
	Dermal (rabbit) LD50: 1350 mg/kg ^[2]	Eye (rabbit): 0.05 mg/24h SEVERE
	Oral(Rabbit) LD50; 325 mg/kg ^[1]	Eye (rabbit):1 mg/24h SEVERE
sodium hydroxide		Eye (rabbit):1 mg/30s rinsed-SEVERE
		Eye: adverse effect observed (irritating) ^[1]
		Skin (rabbit): 500 mg/24h SEVERE
		Skin: adverse effect observed (corrosive) ^[1]
	ΤΟΧΙΟΙΤΥ	IRRITATION
potassium hydroxide	Oral(Rat) LD50; 214-324 mg/kg ^[2]	Eye (rabbit):1mg/24h rinse-moderate
potassium nydroxide		Skin (human): 50 mg/24h SEVERE
		Skin (rabbit): 50 mg/24h SEVERE
	ΤΟΧΙΟΙΤΥ	IRRITATION
(C8-10)alkyl D-glycopyranoside	Dermal (rabbit) LD50: >2000 mg/kg ^[2]	Not Available
2 gijoopjianosiae	Oral(Rat) LD50; >5000 mg/kg ^[2]	
	ΤΟΧΙΟΙΤΥ	IRRITATION
tetrasodium	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye : Mild *
I,N-bis(carboxymethyl)-	Inhalation(Rat) LC50; >4.2 mg/l4h ^[1]	Eye: no adverse effect observed (not irritating) ^[1]
L-glutamate	Oral(Rat) LD50; >2000 mg/kg ^[1]	Skin : Not irritating *
		Skin: no adverse effect observed (not irritating) ^[1]
	ΤΟΧΙΟΙΤΥ	IRRITATION
monoethanolamine	Dermal (rabbit) LD50: 2504 mg/kg ^[1]	Eye (rabbit): 0.76 mg - SEVERE
	Inhalation(Guinea) LC50; ~0.145 mg/l4h ^[2]	Skin (rabbit):505 mg open-moderate
	Oral(Rat) LD50; 1089 mg/kg ^[1]	
Legend:	1. Value obtained from Europe ECHA Registered Substance specified data extracted from RTECS - Register of Toxic Eff	es - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless othe

SODIUM HYDROXIDE

The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.

POTASSIUM HYDROXIDE	The material may produce moderate eye irritation leadin conjunctivitis.	ng to inflammation. Repeated or prolo	nged exposure to irritants may produce
(C8-10)ALKYL D-GLYCOPYRANOSIDE	No significant acute toxicological data identified in literati At very high concentrations, alkyl glycosides are conside skin. The material may be irritating to the eye, with prolonged conjunctivitis. for (C9-11)alkyl D-glycopyranoside	ered irritant, with the risk of serious da	
TETRASODIUM N,N-BIS(CARBOXYMETHYL)- L-GLUTAMATE	for a similar product containing 71% GLDA-Na4 Not irritz was 0.0 Minimally irritating to rabbit eyes following the in guinea pig skin (75% GLDA-Na4) Negative in the Ames in vitro - In a 90-day oral gavage study, GLDA induced re changes in kidneys or other organs, The NOAEL is 300	nstallation of 0.1 ml (31 mg). The max CHO HGPRT forward mutation and r eversible changes in some blood and	imum irritation score was 3.3 Not sensitising to nicronucleus test. Weakly clastogenic to CHL cells
MONOETHANOLAMINE	* Bayer Overexposure to most of these materials may cause adv Many amine-based compounds can cause release of his constriction of the bronchi or asthma and inflammation o anxiety, a decrease in blood pressure, rapid heartbeat, it transient. There are generally four routes of possible or potential e Inhalation: Inhaling vapours may result in moderate to se concentrations of certain amines can produce severe res breathing and chest pain. Chronic exposure via inhalatio bronchi and lungs, and possible lung damage. Repeated liver enlargement. Some amines have been shown to ca While most polyurethane amine catalysts are not sensititi distress while breathing, including asthma-like attacks, w sensitized, these individuals must avoid any further expor reduction in lung function, breathlessness, chronic inflam Products with higher vapour pressures may reach higher Inhalation hazards are increased when exposure to amir The material may cause skin irritation after prolonged or vesicles, scaling and thickening of the skin.	stamines, which, in turn, can trigger a of the cavity of the nose. Whole-body tching, reddening of the skin, urticaria exposure: inhalation, skin contact, eye evere irritation of the tissues of the no spiratory irritation, characterized by d on may cause headache, nausea, vor d and/or prolonged exposure to some ause kidney, blood and central nervou sers, some certain individuals may al whenever they are subsequently expo soure to amines. Chronic overexposu mmation of the bronchi, and immunolor re concentrations in the air, and this in ne catalysts occurs in situations that p	symptoms include headache, nausea, faintness, a (hives) and swelling of the face, which are usually e contact, and swallowing. See and throat and can irritate the lungs. Higher ischarge from the nose, coughing, difficulty in miting, drowsiness, sore throat, inflammation of the a mines may result in liver disorders, jaundice and is system disorders in animal studies. so become sensitized to amines and my experience based to even very small amounts of vapours. Once re may lead to permanent lung injury, including ogic lung disease. creases the likelihood of worker exposure. produce aerosols, mists or heated vapours.
Oven and Grill Cleaner & SODIUM HYDROXIDE & POTASSIUM HYDROXIDE & MONOETHANOLAMINE	Asthma-like symptoms may continue for months or even known as reactive airways dysfunction syndrome (RADS criteria for diagnosing RADS include the absence of pre- asthma-like symptoms within minutes to hours of a docu airflow pattern on lung function tests, moderate to sever lymphocytic inflammation, without eosinophila. RADS (o the concentration of and duration of exposure to the irrita result of exposure due to high concentrations of irritating disorder is characterized by difficulty breathing, cough an	S) which can occur after exposure to vious airways disease in a non-atopic imented exposure to the irritant. Othe e bronchial hyperreactivity on methac or asthma) following an irritating inhal ating substance. On the other hand, i g substance (often particles) and is co	high levels of highly irritating compound. Main i individual, with sudden onset of persistent r criteria for diagnosis of RADS include a reversible sholine challenge testing, and the lack of minimal ation is an infrequent disorder with rates related to ndustrial bronchitis is a disorder that occurs as a
SODIUM HYDROXIDE & POTASSIUM HYDROXIDE	The material may cause severe skin irritation after prolor production of vesicles, scaling and thickening of the skin		
Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

SECTION 12 Ecological information

Toxicity

	Endpoint	Test Duration (hr)	Species		Value	Source
Oven and Grill Cleaner	Not Available	Not Available	Not Available		Not Available	Not Availabl
	Endpoint	Test Duration (hr)	Species	Valu	le	Sourc
	NOEC(ECx)	16h	Crustacea	0.39	93mg/L	4
sodium hydroxide	EC50	48h	Crustacea	34.5	59-47.13mg/l	4
	LC50	96h	Fish	0.20)4mg/L	4
	Endpoint	Test Duration (hr)	Species		Value	Sourc
potassium hydroxide	NOEC(ECx)	24h	Fish		28mg/l	2
	LC50	96h	Fish		0.184mg/L	4
	Endpoint	Test Duration (hr)	Species		Value	Source
(C8-10)alkyl D-glycopyranoside	Not Available	Not Available	Not Available		Not Available	Not Availabl

	Endpoint	Test Duration (hr)	Species	Value	Source
tetrasodium	NOEC(ECx)	216h	Fish	94.55mg/l	2
N,N-bis(carboxymethyl)- L-glutamate	EC50	48h	Crustacea	>95.26mg/l	2
, i i i i i i i i i i i i i i i i i i i	LC50	96h	Fish	>95.26mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	72h	Algae or other aquatic plants	4mg/l	1
	EC50	72h	Algae or other aquatic plants	15mg/l	1
monoethanolamine	EC50	48h	Crustacea	65mg/l	1
	LC50	96h	Fish	75mg/l	1
	EC50	96h	Algae or other aquatic plants	80mg/l	2
Legend:	V3.12 (QSAR) -	, , , , , , , , , , , , , , , , , , ,	d Substances - Ecotoxicological Information - Aqua tox database - Aquatic Toxicity Data 5. ECETOC A oconcentration Data 8. Vendor Data		

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Do NOT allow product to come in contact with surface waters or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash-waters.

Wastes resulting from use of the product must be disposed of on site or at approved waste sites. Prevent, by any means available, spillage from entering drains or water courses.

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
sodium hydroxide	LOW	LOW
monoethanolamine	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
sodium hydroxide	LOW (LogKOW = -3.8796)
monoethanolamine	LOW (LogKOW = -1.31)

Mobility in soil

Ingredient	Mobility
sodium hydroxide	LOW (KOC = 14.3)
monoethanolamine	HIGH (KOC = 1)

SECTION 13 Disposal considerations

Waste treatment methods	
Product / Packaging disposal	 DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Treat and neutralise at an approved treatment plant. Treatment should involve: Neutralisation with suitable dilute acid followed by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material). Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

SECTION 14 Transport information

Labels Required	
	No contraction of the second s
Marine Pollutant	NO
HAZCHEM	2R

Land transport (ADG)

UN number	1719
UN proper shipping name	CAUSTIC ALKALI LIQUID, N.O.S.

Transport hazard class(es)	Class Subrisk	8 Not Appl	cable
Packing group	П		
Environmental hazard	Not Applicabl	le	
Special precautions for user	Special pro		274 1 L

Air transport (ICAO-IATA / DGR)

UN number	1719			
UN proper shipping name	Caustic alkali liquid, n.o.s. *			
	ICAO/IATA Class	8		
Transport hazard class(es)	ICAO / IATA Subrisk Not Applicable			
	ERG Code	8L		
Packing group	11			
Environmental hazard	Not Applicable			
	Special provisions	A3 A803		
	Cargo Only Packing In	855		
	Cargo Only Maximum	30 L		
Special precautions for user	Passenger and Cargo	851		
	Passenger and Cargo	1 L		
	Passenger and Cargo	Y840		
	Passenger and Cargo	0.5 L		

Sea transport (IMDG-Code / GGVSee)

UN number	1719		
UN proper shipping name	CAUSTIC ALKALI LIQUID, N.O.S.		
Transport hazard class(es)	IMDG Class 8 IMDG Subrisk Not Applica		
Packing group	II		
Environmental hazard	Not Applicable		
Special precautions for user	EMS NumberF-A , SSpecial provisions274Limited Quantities1 L		

Transport in bulk according to Annex II of MARPOL and the IBC code Not Applicable

Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
sodium hydroxide	Not Available
potassium hydroxide	Not Available
(C8-10)alkyl D-glycopyranoside	Not Available
tetrasodium N,N-bis(carboxymethyl)- L-glutamate	Not Available
monoethanolamine	Not Available

Transport in bulk in accordance with the ICG Code

Product name	Ship Type
sodium hydroxide	Not Available
potassium hydroxide	Not Available
(C8-10)alkyl D-glycopyranoside	Not Available
tetrasodium N,N-bis(carboxymethyl)- L-glutamate	Not Available
monoethanolamine	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

sodium hydroxide is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals	Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) Schedule 5		
	Australian Inventory of Industrial Chemicals (AIIC)		
potassium hydroxide is found on the following regulatory lists			
Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals	Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)		
Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -	Schedule 6		
Schedule 5	Australian Inventory of Industrial Chemicals (AIIC)		
(C8-10)alkyl D-glycopyranoside is found on the following regulatory lists			
Australian Inventory of Industrial Chemicals (AIIC)			
tetrasodium N,N-bis(carboxymethyl)-L-glutamate is found on the following regulatory	lists		
Australian Inventory of Industrial Chemicals (AIIC)			

monoethanolamine is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -Schedule 4

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5 $\,$

National Inventory Status

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) -Schedule 6 Australian Inventory of Industrial Chemicals (AIIC)

National Inventory	Status	
Australia - AIIC / Australia Non-Industrial Use	Yes	
Canada - DSL	No ((C8-10)alkyl D-glycopyranoside)	
Canada - NDSL	No (sodium hydroxide; potassium hydroxide; (C8-10)alkyl D-glycopyranoside; tetrasodium N,N-bis(carboxymethyl)-L-glutamate; monoethanolamine)	
China - IECSC	Yes	
Europe - EINEC / ELINCS / NLP Yes		
Japan - ENCS	No ((C8-10)alkyl D-glycopyranoside; tetrasodium N,N-bis(carboxymethyl)-L-glutamate)	
Korea - KECI	No ((C8-10)alkyl D-glycopyranoside)	
New Zealand - NZIoC	Yes	
Philippines - PICCS	No ((C8-10)alkyl D-glycopyranoside)	
USA - TSCA	No ((C8-10)alkyl D-glycopyranoside)	
Taiwan - TCSI	Yes	
Mexico - INSQ	- INSQ No ((C8-10)alkyl D-glycopyranoside; tetrasodium N,N-bis(carboxymethyl)-L-glutamate)	
Vietnam - NCI	No ((C8-10)alkyl D-glycopyranoside)	
Russia - FBEPH	No ((C8-10)alkyl D-glycopyranoside)	
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brack	

SECTION 16 Other information

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chernwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

- PC-TWA: Permissible Concentration-Time Weighted Average
- PC-STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers KLF: NO-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.

end of SDS